



BHARUCH STEEL INDIA

AN ISO 9001:2015 CERTIFIED COMPANY

Manufacturer Stockiest & Suppliers Of
Ferrous & Non Ferrous Industrial Raw Material

☎ 99981 76149 🌐 bharuchsteelindia@gmail.com 🌐 www.bharuchsteel.in



COMPANY PROFILE

BHARUCH STEEL INDIA Is One Of The Leading Manufacturers, Stockist & Supplier Of All Kinds Of Stainless Steel, Carbon Steel & Alloy Steel Products. We Have Set Up Our Business Empire Since Last One Decade Serving Many Core Industries All Through Out Most Satisfactorily.

We Always Strive To Meet The Exacting Standards Of Quality For Our Products, Which Are As Per Accepted International Standards. We Supply Better Quality And Better Value For Money To Our Customers Using Best Quality Control Trained Manpower Coupled With Cost Effectiveness That Will Sustain Our Future Growth.

BRANDS



PRODUCT RANGE

STAINLESS STEEL PIPES & TUBES

SEAMLESS, WELDED, ERW, EFW & ELECTROPOLISH

SPECIFICATION : ASTM A213, A249, A268, A269, A270, A271, A312, A358, A376, A409, A468.

GRADE : AISI TP304, TP304L, TP304H, TP310S, TP316H, TP 309, TP310, TP316Ti, TP316, TP316L, TP317, TP317L, TP321, TP347, TP904L etc.

ELECTROPOLISH PIPES & TUBES

Range : 1/4" OD to 4" OD in thk 10 swg, 12 swg, 14 swg, 16 swg, 18 swg, 20 swg.

GRADE : TP 316, TP316L, TP304, TP304L

OTHERS : Nickel & Nickel Alloys, Inconel, Monel, Hastelloy, Cupro-Nickel, Titanium, Duplex, Super Duplex etc.





CARBON & ALLOYS STEEL PIPES & TUBES

SEAMLESS, WELDED, ERW & EFW

SPECIFICATION: ASTM A106 Gr. A & B, ASTM A53 Gr. A & B, ASTM A333 GR.1, 6 & 3, API 5L Gr. B to API SL X80 etc.

GRADE: ASTM A335 GR. P1, P5, P11, P12, P22, API 5L GR. A & B BS 3059, 3601, 3602, 3603, 3604, 4360, DIN ST 33, 34-2, 35, 37.2, 42.3, 45, 52, IS-1239 PART 1, IS 3589 API 5L X42 PSL1 & PSL2, API5L X46 PSL1 & PSL2, API 5LX52 PSL1 & PSL2, API5L X56 PSL1 & PSL2, API5L X60 PSL1 & PSLI2, API 5L X65 APL1 & APL2, API SL X70 PSL1 & PSL2, API5L X80 PSL1 & PSL2 etc.



BUTT-WELD PIPE FITTINGS

ELBOW, LONG BEND-R-3D, 5D, 10D, 12D, STRAIGHT TEE, REDUCING TEE, REDUCER (CONCENTRIC, ECCENTRIC), LAP JOINT STUBEND, SHORT STUBEND, END CAP ETC.

RANGE : 1/2" (15MM) NB to 48" (1200 MM) NB

METHOD : SEAMLESS, ERW, WELDED (FORGED & FABRICATED)

DIMENSIONS : ANSI B 16.9 ANSI B 16.28, MSS-SP43, MSS-S P75, BS 1640, DIN-2605 TO 2616

STAINLESS STEEL ASTM-A-403 WP 304, WP 304L, WP 304H, WP 309, WP 310, WP 316, WP 316L, WP 316 TI, WP 317, WP 317L, WP 321, WP 321 H, WP 347H, 904L etc

CARBON & ALLOYS STEEL ASTM A 234 GR. WPB, WP1, WP5, WP9, WP11, WP22 MSS SP75, WPHY 42/46/52/56/60/65/70.

CARBON & STEEL (LOW-TEMPERATURE) ASTM A 420 GR. WPL6, WPL9

OTHERS: Nickel & Nickel Alloys, Inconel, Monel, Hastelloy, Cupro-Nickel, Titanium, Duplex, Super Duplex etc.



SCREWED / FORGED PIPE FITTINGS

ELBOW, TEE, REDUCING TEE, COUPLING, HALF COUPLING, END, CAP, REDUCING COUPLING, BARREL NIPPLE, HEXAGONAL NIPPLE, HAXAGONAL BUSH, HEXAGONAL HEAD PLUG, SOCKOLET, WELDOLET, THREDOLET, ELBOLET, NIPPOLET ETC.

RANGE : 1/4" (6 MM) NB to 4" (100 MM) NB METHOD FORGED

RATING : CLASS # 1000, 2000, 3000, 6000, 9000.

DIMENSIONS : ANSI B16. 11, MSS-SP79, BS3799, DIN-2950, EN-10241, EN-10242, IS 1239 PART II

STAINLESS STEEL ASTM A 182 F 304, F 304L, F 304H, F 309, F 310, F 316, F 316L, F 316 TI, F 317, F 317L, F 321, F 347

CARBON STEEL ASTM A 105, ASTM A 350 LF2, ASTM A 181

ALLOY STEEL : ASTM A 182 F1, F11, F22, F5, F9

OTHERS : Nickel & Nickel Alloys, Inconel, Monel, Hastelloy, Cupro-Nickel, Titanium, Duplex, Super Duplex etc.





FLANGES

SLIPON (SORF), SOCKETWELD (SWRF), BLIND (BLRF), WELDNECK (WNRF), SCREWED (SERF), LAPPED (LJFF), WELDNECK RING JOINT (WNRTJ)

RANGE : FORGED FLANGES : 1/2" (15 MM) NB to 24" (600 MM) NB

PLATE FLANGES : 1/2" (15 MM) NB to 48" (1200 mm) NB

DIMENSIONS :

ANSI B16.5 & BS1560 : CLASS 150 #, 300 #, 600 #, 900 #, 1500 #

DIN : 2527, 2573, 2576, 2633, 2634, 2635, ND-6, ND-10, ND-16, ND-40

BS10 : TABLE D, E, F, H, J,

BS4504 : Table ND-6, ND-10, ND-16, ND-25, ND-40

IS6392 : TABLE 5, 11, 17, IS 1538, MSS-SP44

STAINLESS STEEL ASTM A 182 F 304, F 304L, F 304H, F 309, F 310, F 316, F 316L, F 316 Ti, F 317, F 317L, F 321, F 347,

ALSO IN PLATE ASTM A 240 TP 304, 304L, 316, 316L, 317, 317L

CARBON STEEL & ALLOY STEEL ASTM A 105, ASTM A 182 F5, F9, F11, F22, ASTM A 350 LF1, LF2, LF5 ALSO IN PLATE IS-2062, GR. A, B, C, ASTM A516 GR. 60 GR. 70 SOCKET WELD & THREADED

OTHERS: Nickel & Nickel Alloys, Inconel, Monel, Hastelloy, Cupro-Nickel, Titanium, Duplex, Super Duplex etc



ROUND BARS

Stainless Steel Bar : ASTM A-479, A 182 F 304/304H/304L, 316/316L/316Ti, 309, 310, 317L, 321, 347, 409, 410, 420, 430, 440 (A, B, C) 446, 904L, etc. SUPER 13 CR, 420 MOD, TOUGHMET 3AT 110.

Duplex Steel Bar : A 182 F51, F53, F55

Carbon Steel Bar : A 105, LF2, 4140 MOD, 4340 MOD

Alloy Steel Bar : ASTM A-182 F11, F12, F22, F5, F9, F91

Cu-Ni Bar : C70660 (90:10) C71500 (70:30), C71640

Nickel Bar : UNS N02200, N02201

Monel Bar : UNS N04400, N05500

Inconel Bar : UNS N06600, N06601, N06625, N08800, N08810, UNS N08825, UNSN09925, UNS N07718

Types: Round, Square, Hex (A/F), Rectangle



T.C FITTINGS / BIO-PHARMACEUTICAL FITTINGS

TC BEND, TC TEE, TC REDUCER, TC UNION, TC CLAMPS, TC LINER (FERRULES), TRI-CLOVER STANDARD FITTINGS IS WIDELY USED IN PHARMACEUTICALS & FOOD INDUSTRIES FOR ITS EASILY OPENING & CLEANING FACILITIES. IT CONSISTS OF TWO LINERS (FERRULES) & CLAMPS WHICH HOLDS BOTH THE LINES TOGETHER. GASKET IS HOUSED BETWEEN THE LINES TO GIVE LEAK PROOF SEALING.

RANGE : 1/2" (15MM) to 12" (300MM) (SUITABLE FOR OD & NB SIZE PIPE)

GRADE : AISI 304, 316, 316L

STANDARD : ISO, ASME BPE Standard.

FINISH POLISHED : ELECTRO POLISHED / MIRROR/MATT FINISH





SHEET, PLATE & COIL

Sheets :

Material Grade : Stainless Steel, Nickel Alloys, Carbon Steel, Alloy Steel, Other Ferrous & Non-Ferrous Metals.

Thickness : 0.25mm & above

Width : 6mm~2000mm

Length : 1000mm~1000mm


Plates :

Material Grade : Stainless Steel, Nickel Alloys, Carbon Steel, Alloy Steel, Other Ferrous & Non-Ferrous Metals.

Thickness : 3mm & above

Width : 1000mm to 3200mm

Length : 2438mm/3048mm/6096mm to 13500mm



DAIRY & SANITARY TUBE FITTINGS

USED FOR DAIRY, BIO-PHARMA & FOOD INDUSTRY (WELDED ENDS / EXPANDED ENDS) BEND, TEE, CROSS, REDUCER, UNION, VALVE CLAMP WITH FERRULE, CLAMP (PIPE HOLDING) WITH COUPLING, NIPPLE & BASE PLATE

RANGE: 1/2" (15 MM) OD to 12" (300 MM) THK OD 16swg, 14swg, 12swg

GRADE: AISI 304, 316, 316L.

STANDARD: SMS, IDF, DIN, ISO, ASME BPE etc.

FINISH: ELECTRO POLISHED/MIRROR/MATT FINISH



VALVES

TYPES: Gate Valve, Ball Valve, Globe Valve, Butterfly Valve, Check Valve, Cryogenic Valve

GRADES: WCB, WC1, WC6, WC9, LCB, LCC, LC3, C5, C12, CF8, CF8M, CF3, CF3M, CF8C, CN7M, CD4MCu, Hastelloy, Inconel, 304L, 316L, 2205, 2507 etc.

MATERIAL: Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel

CLASS: 150#, 300#, 600#, 800#, 900#, 1500# & 2500#.

ANGLE/CHANNEL/FLAT BAR

Stainless Steel : 304/304L, 316/316L/316Ti, 321, 310/310S, 317/317L, 347, 17-4Ph, 15-5Ph, 904L, 410, 420, 430, 431, 430F, 416, 440C etc. Copper, Brass, Aluminium, Hast Alloy, Titanium, Monel, Inconel, Nickel, etc.

Duplex Steel : UNS 31803, UNS32205, UNS 32750, UNS 32760


Alloy Steel : F5, F9, F11, F22, F91.

Carbon Steel, Mild Steel, (EN Series)

Specification : ASTM, AISI, ASME, DIN, UNS etc.

Sizes of Angles : 20mm to 150mm, in Thk = 3mm to 12mm

Sizes of Channels: 20mm to 500mm, in Thk = 3mm to 50mm



FASTENERS



PRODUCTS	BOLT, SCREW, NUTS & WASHERS
TYPE	GRADES & SPECIFICATIONS
NICKEL ALLOY FASTENERS	Standard : ASTM/ASME SB 160/164/425/166/446/574/472 Grade : UNS 2200(NICKEL 200) / UNS 2201 (NICKEL 201). UNS 4400(MONEL 400), UNS 8825 (INCONEL 825). UNS 6600(INCONEL600), UNS 6601 (INCONEL 601), UNS 6625(INCONEL625), UNS 10276 (HASTEELLOY C 276) UNS 8020 (ALLOY 20/20 CNB 3)
STAINLESS STEEL FASTENERS	Standard : ASTM/ASME A/SA 193/194 Grade : B8 (304), B 8C (SS 347), B 8M (SS 316), 8T (SS 321), A2, A4
HIGH TENSILE FASTENER	• Longer Serviceability • Superior Polish • Precise Dimension • Standard & Customized Shapes
ALLOY STEEL FASTENERS	Standard : ASTM/ASME A/SA 193/194 Gr. Grade : B6, B7/B7M, B16, 2, 2HM, 2H, GR 6,B7, B7M
DUPLEX STEEL	UNS NO. S 31803, S 32205.

APPLICATION

INDUSTRIES

- OIL & GAS INDUSTRIES
- SUGAR INDUSTRIES
- STEEL & POWER
- CEMENT INDUSTRIES
- REFINERIES
- CHEMICAL INDUSTRIES
- PETRO-CHEMICAL
- ENGINEERING
- BEVERAGE INDUSTRIES
- FIRE FALLING SYSTEMS
- AUTOMOBILE
- FERTILIZERS
- SHIP BUILDING
- PHARMA-CEUTICAL
- PAPER & PULP



BHARUCH STEEL INDIA

AN ISO 9001:2015 CERTIFIED COMPANY

Manufacturer Stockiest & Suppliers Of
Ferrous & Non Ferrous Industrial Raw Material



MSME
सूक्ष्म, लघु एवं मध्यम उद्यम
MICRO, SMALL & MEDIUM ENTERPRISES

☎ 99981 76149 📧 bharuchsteelindia@gmail.com 🌐 www.bharuchsteel.in

📍 Second Floor, Shop No. 219/220, Sanskar Avenue, Dahej Road, Jolwa, Ta. Vagra,
Dist. Bharuch – 392130, Gujarat, India